



State of Ohio Environmental Protection Agency

Southwest District Office

401 East Fifth Street
Dayton, Ohio 45402-2911
(513) 285-6357
FAX (513) 285-6249

FERNALD
LOG A-1171
MAY 3 9 04 AM '00

-- 2944

George V. Voinovich
Governor

FILE: _____
LIBRARY: _____

May 1, 2000

Mr. Johnny Reising
U.S. Department of Energy, Fernald Area Office
P.O. Box 538705
Cincinnati, OH 45253-8705

RE: Conditional Approval- PSP for A8PIII-S Certification Sampling

Dear Mr. Reising:

Ohio EPA has reviewed DOE's March 31, 2000 submittal on the "Project Specific Plan for Area 8, Phase III-South Certification Sampling". The condition for Ohio EPA approval includes: 1) Removing all references at the end of section 4.0 which refer to the PSP being revised at a future date. No document is to be revised after Agency approval.

If you have any questions, please contact Donna Bohannon, Michelle Waller or me.

Sincerely,

Michelle Waller
for

Thomas A. Schneider
Fernald Project Manager
Office of Federal Facilities Oversight

cc: Jim Saric, U.S. EPA
Terry Hagen, FDF
Ruth Vandergrift, ODH
Mark Shupe, HSI GeoTrans
Francie Hodge, Tetra Tech EM Inc.

Q:\femp\ou5\A8PIII\cdl.cap.wpd



Printed on recycled paper

1